ZONING REQUIREMENTS

ASSESSORS MAP 31 LOT 29-A ZONING DISTRICT R-2 SINGLE FAMILY				
	REQUIRED SINGLE FAMILY			
LOT AREA:	10,000 S.F			
LOT FRONTAGE:	90 FT			
FRONT SETBACK:	25 FT			
SIDE SETBACK:	10 FT			
REAR SETBACK:	25 FT			
OPEN SPACE:	40%			
LOT COVERAGE:	25%			

BASIS OF BEARINGS PL. BK. 266 PL. 4

OWNER OF RECORD 32 UNION LLC BK. 35300 PG. 509

PLAN REFERENCES PL. BK. 266 PL. 4

PL. BK. 309 PL. 65

1 50515

LEG	GEND	
EXISTING	PROPOSED	
	■ CB	CATCH BASIN (OR GUTTER INLET, OR LEACHING BASIN
	■CBCI (OR GICI)	CATCH BASIN (OR GUTTER INLET) WITH CURB INLET
		CURB (OR BERM) - TYPE NOTED
***		EDGE OF ROAD
	<u>—62</u> —	CONTOUR
S	S	SEWER MANHOLE
©	•	DRAINAGE MANHOLE
SV Sun		GAS GATE
₩	\bowtie	WATER GATE
X	*	HYDRANT
O FA	• FA	FIRE ALARM BOX
\$	*	POST MOUNTED PEDESTRIAN LIGHT
P	Ф	UTILITY POLE
D	—— D ——	DRAIN PIPE
S	——s —	SEWER MAIN
S		SEWER FORCE MAIN
E	—Е—	ELECTRIC DUCT
W	W	WATER MAIN
	—T —	TELEPHONE DUCT
□MB	■ MB	MAIL BOX
•	•	HIGHWAY GUARD (TYPE NOTED)
		FENCE (SIZE AND TYPE NOTED)
		EASEMENT LINE
		PROPERTY LINE
	Attended to Selection to Select	100 FT BUFFER ZONE
8 N0000'00"E	_	BASE OR SURVEY LINE
2.34	PC 8 N00'00'00"E	CONSTRUCTION BASELINE
π	+12.34 /TT\	
		WHEELCHAIR RAMP (WCR)
	4.4.4	CONCRETE SIDEWALK
•		TEST PIT & DESIGNATION
	SF	SILT FENCE
यार		WETLAND
		INFILTRATOR
		CTONE WALL

STONE WALL


SURVEY LEGEND

DRILL HOLE STONE BOUND □ D.H.S.B. D.H. DRILL HOLE PK MASONRY NAIL MAG MAGNETIC NAIL O 1.P. IRON PIPE IRON ROD FND. FOUND NOT FOUND TO BE SET

ASSESSORS MAP AND PARCEL

ROADWAY NOTE:
IT IS THE INTENT THAT THE PROPOSED ROAD BE MAINTAINED AS A PRIVATE WAY. UNLESS FURTHER DOCUMENTS ARE RECORDED ESTABLISHING A HOMEOWNERS ASSOCIATION, THE OWNERS OF LOT 1 SHALL BE RESPONSIBLE FOR MAINTENANCE OF THE ROADWAY.

DEFINITIVE SUBDIVISION NEWBURYPORT, MA ASSESSORS MAP 31 LOT 29-A



WAIVER REQUESTS

SECTION 6.8.1. (TABLE 1A-"COURTS"): WAIVER FROM THE REQUIREMENT THAT COURT PAVEMENT WIDTH BE 20 FT WIDE. A 12 FT WIDE ROADWAY IS PROPOSED. THE PROPOSED ROADWAY WILL ESSENTIALLY SERVE AS A DRIVEWAY TO ONE BUILDING LOT. THIS WILL MAINTAIN THE FEELING OF A RURAL ROADWAY AND ALSO WILL MINIMIZE IMPERVIOUS SURFACE WHILE PROVIDING SAFE VEHICULAR ACCESS TO THE SITE.

SECTION 6.9 & APPENDIX IB: WAIVER FROM THE INSTALLATION OF GRANITE CURBING. THE PROPOSED ROADWAY WILL ESSENTIALLY SERVE AS A DRIVEWAY. THIS WILL MAINTAIN THE FEELING OF A RURAL ROADWAY.

SECTION 6.11 & APPENDIX IC: WAIVER FROM THE INSTALLATION OF SIDEWALKS. THE PROPOSED ROADWAY WILL ESSENTIALLY SERVE AS A DRIVEWAY. THIS WILL MAINTAIN THE FEELING OF A RURAL ROADWAY.

SECTION 6.18: WAIVER FROM STRICT COMPLIANCE WITH THE PLANTING OF STREET TREES. THE PROPOSED ROADWAY WILL ESSENTIALLY SERVE AS A DRIVEWAY. A ROW OF SHRUBS CURRENTLY EXISTS ALONG THE WESTERLY PROPERTY LINE PROVIDING A BUFFER TO PERKINS PARK AS WELL AS EXISTING TREES ALONG THE NORTHERLY PROPERTY LINE.

SECTION 6.21: WAIVER FROM STRICT COMPLIANCE WITH THE INSTALLATION OF STREET LIGHTING. LIGHTING FOR THE PROPOSED ROADWAY WILL BE PROVIDED THROUGH LANDSCAPE LIGHTING AND LIGHTS TO BE INSTALLED ON THE PROPOSED DWELLINGS.

NO. DATE

CITY OF NEWBURYPORT PLANNING BOARD APPROVAL UNDER THE SUBDIVISION CONTROL LAW, M.G.L. CH. 141, S. 81-U.

CITY/TOWN CLERK: APPEAL HAS BEEN FILED WITHIN THE 21 DAYS AS PRESCRIBED BY MASS. GENERAL LAWS CHAPTER CITY/TOWN CLERK

FOR REGISTRY USE ONLY

DEFINITIVE PLAN INDEX

SHEET NO.	TITLE
1	COVER SHEET
2	EXISTING CONDITIONS
3	LOT LAYOUT PLAN
4	GRADING & SITE DEVELOPMENT PLA
5	PLAN & PROFILE
6	SITE DETAILS

DATE

PREPARED FOR

No. 49181

GORMAN HOMES, LLC 3 ARCHELAUS HILL WEST NEWBURY, MA 01985

SCALE: AS NOTED BY DATE: JUN. 14, 2017 CHKD. BY: E.W.B.

DESCRIPTION

MILLENNIUM ENGINEERING, INC.

ENGINEERING AND LAND SURVEYING 62 ELM ST. SALISBURY, MA 01952 (978) 463-8980 13 HAMPTON RD. EXETER, NH 03833 (603) 778-0528


DESG. BY: C.M.Y.


DEFINITIVE SUBDIVISION PLAN OF LAND NEWBURŸPORT, MA

A PROPOSED SUBDIVISION

COVER SHEET

32 UNION STREET NEWBURYPORT, MA SHEET: 1 OF 6





LOCUS MAP N.T.S.

BASIS OF BEARINGS

PL. BK. 266 PL. 4

OWNER OF RECORD 32 UNION LLC BK. 35300 PG. 509

PLAN REFERENCES

PL. BK. 266 PL. 4 PL. BK. 309 PL. 65

		-	
ADDRESS — ASSESSORS MAP 31 LOT 29—A ZONING DISTRICT R—2 SINGLE FAMILY			
	REQUIRED	EXISTING	
LOT AREA:	10,000 SF	27,750 SF	
LOT FRONTAGE:	90 FT.	110 FT., 30 FT.	
FRONT SETBACK:	25 FT.	**	
SIDE SETBACK:	10 FT.	**	
REAR SETBACK:	25 FT.	**	
LOT COVERAGE:	25%	0%	
OPEN SPACE:	40%	100%	

LEGEND

DRILL HOLE STONE BOUND □ D.H.S.B. MASONRY NAIL

• I.PIPE IRON PIPE ● I ROD IRON ROD

FND. FOUND T.B.S. TO BE SET

ASSESSORS MAP# PARCEL#

GRAPHIC SCALE (IN FEET) 1 inch = 20

3 ARCHELAUS HILL

NO. DATE

PREPARED FOR

DESCRIPTION

MASSACHUSETTS ELECTRIC BK. 19662 PG. 309

MILLENNIUM ENGINEERING, INC.

ENGINEERING AND LAND SURVEYING
62 ELM ST. SALISBURY, MA 01952 (978) 463-8980
13 HAMPTON RD. EXETER, NH 03833 (603) 778-0528

DEFINITIVE SUBDIVISION

PROJECT: M163010

PLAN OF LAND NEWBURYPORT, MA

SHOWING A PROPOSED SUBDIVISION

LOT LAYOUT **PLAN**

32 UNION STREET NEWBURYPORT, MA

ZONING TABLE

MARY K. C. MURPHY 30 UNION STREET UNIT 2 BK. 31456 PG. 21 N/F
SCOTT A. McDONALD
MARYBETH McDONALD
30 UNION STREET UNIT 1
BK. 31435 PG. 209 $\frac{30}{19}$ GORDON K. JEE MARY JANE JEE 30 UNION STREET UNIT 3 BK. 31421 PG. 95 I.ROD T.B.S. TUNA Í. SAVA AMY SAVA 7 BEACON AVENUE BK. 25561 PG. 538 LOT 11,245 S.F. 0.26± ACRES REEL <<FRONTAGE: 110.00'>> 570 CITY OF NEWBURYPORT PERKINS PARK 0.27± ACRES <<FRONTAGE: 90.00'>> PK NAIL 6

CITY/TOWN CLERK: I HEREBY CERTIFY THAT NO APPEAL HAS BEEN FILED WITHIN THE 21 DAYS AS PRESCRIBED BY MASS. GENERAL LAWS CHAPTER 41 SECTION 81-88.

CITY/TOWN CLERK

DATE

FOR REGISTRY USE

DATE

CITY OF NEWBURYPORT

PLANNING BOARD APPROVAL UNDER THE SUBDIVISION CONTROL LAW, M.G.L. CH. 141, S. 81-U.

THE CERTIFICATIONS SHOWN HEREON ARE INTENDED TO MEET REGISTRY OF DEEDS REQUIREMENTS AND ARE NOT A CERTIFICATION TO TITLE OR OWNERSHIP OF PROPERTY SHOWN. OWNERS OF ADJOINING PROPERTIES ARE ACCORDING TO CURRENT NEWBURYPORT ASSESSORS RECORDS.

I CERTIFY: THAT THIS ACTUAL SURVEY WAS MADE ON THE GROUND BETWEEN OCT. 18, 2016 AND MARCH 15, 2017.


THAT THIS PLAN CONFORMS TO THE RULES AND REGULATIONS OF THE REGISTER OF DEEDS.


PROFESSIONAL LAND/SURVEYOR DATE


GORMAN HOMES, LLC WEST NEWBURY, MA 01985

SCALE: 1"=20' DATE: JUN. 14, 2017 CHKD. BY: J.S.H.

SHEET: 3 OF 6








ROADWAY NOTES

- 1. ALL MATERIAL SHALL BE REMOVED FOR THE FULL LENGTH AND WIDTH OF ROADWAY TO A DEPTH OF AT LEAST 15" BELOW FINISHED GRADE. ALL STUMPS, ROCKS AND LEDGE WITHIN THE LIMITS OF THE PROPOSED PAVED WAY SHALL BE REMOVED. ALL LEDGE SHALL BE REMOVED TO A MINIMUM DEPTH OF 2' BELOW FINISHED PAVEMENT GRADE.
- 2. ROADWAY SHALL NOT BE CONSTRUCTED DURING FREEZING WEATHER OR ON WET OR FROZEN SUBGRADE.
- 3. GRAVEL SHALL BE IN CONFORMITY WITH THE MOST RECENT "STANDARD SPECIFICATIONS FOR HIGHWAYS AND BRIDGES" OF THE MASSACHUSETTS DOT AND SHALL CONSIST OF HARD, DURABLE STONE AND COARSE SAND PRACTICALLY FREE FROM LOAM AND CLAY AND CONTAINING NO STONE HAVING A DIMENSION GREATER THAN THREE (3) INCHES.
- 4. GRAVEL BASE SHALL BE SPREAD IN TWO SIX INCH LAYERS AND ROLLED WITH A ROLLER OF SUFFICIENT WEIGHT TO ACHIEVE NINETY FIVE (95) PERCENT COMPACTION.
- 5. THE MINIMUM CROSS SLOPE OF FINISHED BASE COURSE SHALL BE 1/4" PER FOOT UNLESS OTHERWISE SHOWN.
- 6. ALL UNSUITABLE MATERIAL SHALL BE EXCAVATED AND REPLACED WITH SATISFACTORY MATERIAL AND BROUGHT UP TO GRADE WITH GRAVEL BORROW CONTAINING NO STONES GREATER THAN 6" DIAMETER.
- 7. AT ALL TIMES DURING CONSTRUCTION, THE SUB-GRADE AND ALL DITCHES SHALL BE CONSTRUCTED AND MAINTAINED SO THAT THE ROADWAY WILL EFFECTIVELY BE DRAINED.
- 8. STREET CONSTRUCTION SPECIFICATIONS SHALL BE IN COMPLIANCE WITH THE NEWBURYPORT SUBDIVISION REGULATIONS, APPENDIX 1.

1" BIT. CONC. TOP COURSE TYPE I-1 BINDER COURSE: 2" BIT. CONC. BASE COURSE TYPE I-1 GRAVEL BASE: 12" GRAVEL BASE IN TWO SIX INCH LAYERS



<u>NOTES</u>


- 1. POSTS SHALL BE DOUBLED AND COUPLED AT FILTER CLOTH SEAMS.
- 2. FILTER CLOTH TO BE FASTENED SECURELY TO SUPPORT NETTING WITH TIES SPACED EVERY 24" AT TOP, MID SECTION, AND BOTTOM.
- 3. WHEN TWO SECTIONS OF FILTER CLOTH ADJOIN EACH OTHER, THEY SHALL BE OVERLAPPED BY 6 INCHES, FOLDED AND STAPLED.


MAINTENANCE


- 1. SILT FENCE SHALL BE INSPECTED IMMEDIATELY AFTER EACH RAINFALL AND AT LEAST DAILY DURING PROLONGED RAINFALL. ANY REPAIRS THAT ARE REQUIRED SHALL BE MADE IMMEDIATELY.
- 2. IF THE FABRIC ON THE SILT FENCE SHALL DECOMPOSE OR BECOME INEFFECTIVE DURING THE EXPECTED LIFE OF THE FENCE, THE FABRIC SHALL BE REPLACED PROMPTLY.
- 3. SEDIMENT DEPOSITS SHALL BE INSPECTED AFTER EVERY STORM EVENT. THE DEPOSITS SHALL BE REMOVED WHEN THEY REACH APPROXIMATELY ONE—HALF THE HEIGHT OF THE BARRIER.


SILT FENCE/HAYBALE INSTALLATION

N.T.S.










GENERAL NOTES:

- 1) HIGH CAPACITY INFILTRATION CHAMBER BY INFILTRATOR SYSTEMS, INC. OF OLD SAYBROOK, CT. HIGH CAPACITY INFILTRATION CHAMBERS MUST BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. REFER TO INFILTRATOR SYSTEMS, INC.'S CURRENT RECOMMENDED INSTALLATION.
- 2) HIGH CAPACITY INFILTRATION CHAMBER STORAGE = 2.29 CF/LF.

QUICK4 HIGH CAPACITY INFILTRATION CHAMBER N.T.S.



1. CORPORATION AND CURB STOPS SHALL BE BRASS & MEET ALL APPLICABLE DEP STANDARDS.

TYPICAL COPPER SERVICE CONNECTION SADDLE FOR EXISTING SEWER --6" PVC SEWER SERVICE EXISTING 8" PVC-INSULATE PIPE WITH 2" OF SEWER RIGID BLUE DOW STYROFOAM WHERE LESS THAN 4' OF COVER OCCURS

SLOPE UP 2% MIN

8" SCREENED GRAVEL-SEWER SERVICE

MATERIAL NOTES

ALL MATERIALS AND CONSTRUCTION METHODS OF ALL THE

1. COMMONWEALTH OF MASSACHUSETTS DEPARTMENT OF TRANSPORTATION

(AAB) AND THE AMERICANS WITH DISABILITIES ACT (ADA)

STANDARD SPECIFICATIONS FOR HIGHWAYS AND BRIDGES (LATEST EDITION)

RULES AND REGULATIONS GOVERNING THE SUBDIVISION OF LAND, (LATEST


2. 521 CMR RULES AND REGULATIONS OF THE ARCHITECTURAL ACCESS BOARD

3. SPECIFICATIONS BY THE CITY OF NEWBURYPORT IN THE PLANNING BOARD

ELEMENTS IN THE SUBDIVISION MUST CONFORM TO THE

FOLLOWING STANDARDS, UNLESS OTHERWISE SHOWN AND

DETAIL N.T.S.



INSPECTION PORT

CITY/TOWN CLERK: I HEREBY CERTIFY THAT NO APPEAL HAS BEEN FILED WITHIN THE 21 DAYS AS PRESCRIBED BY MASS. GENERAL LAWS CHAPTER 41 SECTION 81-88.

DATE

CITY/TOWN CLERK

FOR REGISTRY USE ONLY

DATE

THAT THIS PLAN CONFORMS TO THE RULES AND REGULATIONS OF THE REGISTER OF DEEDS.

CITY OF NEWBURYPORT PLANNING BOARD APPROVAL UNDER THE SUBDIVISION CONTROL LAW, M.G.L. CH. 141, S. 81-U.

6-14-17 PROFESSIONAL ENGINEER GUTTER OVERFLOW -(INVERTED WYE) FLOOR SLAB (TO INFILTRATOR UNITS)

GUTTER DOWN SPOUT DETAIL


N.T.S.

GENERAL NOTES

- 1. THE CONTRACTOR SHALL REPORT TO THE OWNER AND ENGINEER ANY SIGNIFICANT VARIATIONS IN EXISTING SITE CONDITIONS, ANY PROPOSED REVISIONS TO THE WORK SHALL NOT BE UNDERTAKEN UNTIL REVIEWED AND APPROVED BY THE OWNER AND REGULATING CITY AND/OR STATE AGENCIES.
- 2. ALL WORK SHALL CONFORM TO; THE NEWBURYPORT PLANNING BOARD RULES AND REGULATIONS GOVERNING THE SUBDIVISION OF LAND AND THESE PLANS.
- 3. THE LOCATION OF ALL UTILITIES, AS SHOWN ON THESE PLANS, ARE BASED UPON PLANS AND RECORD INFORMATION PROVIDED BY MADE AS TO THE ACCURACY OF THESE LOCATIONS OR THAT ALL UTILITIES ARE SHOWN. THE CONTRACTOR SHALL NOT RELY ON THESE PLANS FOR SUCH INFORMATION AND SHALL MAKE EXAMINATIONS IN THE FIELD BY VARIOUS AVAILABLE RECORDS, UTILITY COMPANIES AND INDIVIDUALS, AS TO THE LOCATION OF ALL SUBSURFACE STRUCTURES.
- 4. THE CONTRACTOR SHALL VERIFY THE LOCATION OF EXISTING UTILITIES BY CONTACTING "DIG-SAFE" AT LEAST 72 HOURS PRIOR TO ANY EXCAVATION. DIG-SAFE TELEPHONE NUMBER: 1-888-344-7233.
- THE CONTRACTOR SHALL FIELD CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE PROCEEDING WITH THE NEW WORK. HE/SHE SHALL EXCAVATE TO VERIFY PERTINENT DRAINAGE INVERTS AND POTENTIAL UTILITY CONFLICTS. ANY DISCREPANCIES SHALL BE REPORTED TO THE OWNER IMMEDIATELY.
- ALL EXISTING STRUCTURES AND SURFACES, UNLESS OTHERWISE SHOWN, SHALL BE COMPLETELY REMOVED FROM THE AREAS OF WORK. ALL TREES SCHEDULED FOR REMOVAL SHALL BE FIELD MARKED AND APPROVED FOR REMOVAL BY THE OWNER PRIOR TO CUTTING
- 7. THE CONTRACTOR IS RESPONSIBLE FOR INITIATING, MAINTAINING AND SUPERVISING ALL SAFETY PRECAUTIONS AND PROGRAMS IN CONNECTION WITH THE WORK. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS FOR THE SAFETY OF THE PUBLIC, EMPLOYEES, AND ALL OTHER PERSONS ASSOCIATED WITH THE PROJECT. HE/SHE SHALL COORDINATE AND BE RESPONSIBLE FOR ALI SAFETY SIGNING, BARRIERS AND TEMPORARY PAVEMENT MARKINGS NECESSARY TO PROVIDE A SMOOTH AND PROPER TRANSITION FOR
- 8. IF REQUIRED BY THE CONTRACTOR, OVERHEAD LINES SHALL BE RELOCATED BY THE UTILITY COMPANY AT THE CONTRACTORS EXPENSE.
- 9. AREAS OUTSIDE THE LIMITS OF WORK (EROSION CONTROL/SILT FENCE LOCATIONS) DISTURBED BY THE CONTRACTOR DURING CONSTRUCTION SHALL BE RESTORED TO THEIR ORIGINAL CONDITION AT THE EXPENSE OF THE CONTRACTOR.
- 10. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING EROSION AND/OR SEDIMENT CONTROLS DURING CONSTRUCTION. HE/SHE SHALL INSPECT CONTROLS WEEKLY AND AFTER ALL STORM EVENTS. REPAIRS, IF REQUIRED, SHALL BE MADE IMMEDIATELY.
- 11. THE CONTRACTOR SHALL IDENTIFY TO THE TOWN HIS/HER TOPSOIL STOCKPILING OPERATIONS AND LOCATIONS. NO TOPSOIL SHALL
- 12. NO CONSTRUCTION SHALL TAKE PLACE UNTIL THE OWNER/DEVELOPER HAS RECEIVED WRITTEN APPROVAL FROM CITY OF NEWBURYPORT PLANNING BOARD AND ANY OTHER CITY/STATE DEPARTMENTS AS NEEDED
- 13. 14 DAYS PRIOR TO COMMENCING CONSTRUCTION, THE OWNER/DEVELOPER SHALL PRESENT A CONSTRUCTION SCHEDULE TO THE DEPARTMENT OF PUBLIC WORKS AND/OR THE CITY OF NEWBURYPORT PLANNING BOARD/DEPARTMENT
- 14. TWO HARD COPIES OF AS-BUILT DRAWINGS SHALL BE SUBMITTED TO THE DEPARTMENT OF PUBLIC WORKS AND/OR THE CITY OF NEWBURYPORT PLANNING BOARD UPON COMPLETION OF THE PROJECT. AS-BUILTS SHALL INCLUDE ALL LANDBASE AND UTILITIES
- 15. ONSITE BURIAL OF STUMPS OR ANY OTHER DEBRIS IS PROHIBITED.

LEAVE THE SITE UNLESS APPROVED BY TOWN OFFICIALS.

- 16. A PORTION OF THE PROPERTY LIES WITHIN ZONE AE (EL. 15) ACCORDING TO F.I.R.M. COMMUNITY PANEL NUMBER 25009C 0136G.
- 17. ELEVATIONS ARE REFERENCED TO N.A.V.D. 1988 DATUM.
- 18. ANY DISTURBED AREAS OF THE SITE NOT USED FOR ROADWAY OR UTILITY CONSTRUCTION SHALL BE STABILIZED WITH LOAM AND SEED UNTIL FURTHER DISTURBANCE IS REQUIRED FOR BUILDING CONSTRUCTION.



GORMAN HOMES, LLC 3 ARCHELAUS HILL WEST NEWBURY, MA 01985

N.T.S.

PREPARED FOR

778-0528 SCALE: AS NOTED DESG. BY: C.M.Y. DATE: JUN. 14, 2017 CHKD. BY: E.W.B. NO. DATE DESCRIPTION

MILLENNIUM ENGINEERING, INC. ENGINEERING AND LAND SURVEYING 62 ELM ST. SALISBURY, MA 01952 (978) 463-8980 13 HAMPTON RD. EXETER, NH 03833 (603)

DEFINITIVE SUBDIVISION PLAN OF LAND NEWBURŸPORT, MA SHOWING A PROPOSED SUBDIVISION

32 UNION STREET NEWBURYPORT, MA

SITE **DETAILS**

SHEET: 6 OF 6

E:\sdskproj-2016\M163010\dwg\M163010-D.dwg 6/14/2017 2:56:11 PM EDT